

TYPES OF PERIODONTAL DISEASES

There are many types of periodontal diseases and they can affect individuals of all ages from children to seniors.

GINGIVITIS is the mildest form of periodontal disease. It causes the gums to become red, swollen, and bleed easily. There is usually little or no discomfort at this stage. Gingivitis is reversible with professional treatment and good oral care at home.

CHRONIC PERIODONTITIS is a form of periodontal disease that results in inflammation within the supporting tissues of the teeth. Patients experience progressive loss of tissue attachment and bone. Chronic periodontitis is characterized by pocket formation and/or recession of gum tissue and is the most frequently occurring form of periodontitis. It is prevalent in adults, but can occur at any age. Progression of attachment loss usually occurs slowly, but periods of rapid progression can occur.


AGGRESSIVE PERIODONTITIS is a highly destructive form of periodontal disease that occurs in patients who are otherwise clinically healthy. Common features include rapid loss of tissue attachment and destruction of bone. This disease may occur in localized or generalized patterns.

PERIODONTITIS AS A MANIFESTATION OF SYSTEMIC DISEASES


This form of periodontitis is associated with one of several systemic diseases, such as diabetes. Patients who have rare but specified blood diseases or genetic disorders frequently show signs of periodontal diseases.

NECROTIZING PERIODONTAL DISEASES are infections characterized by necrosis (death) of gingival tissues, periodontal ligament and alveolar bone. These lesions are most commonly associated with pain, bleeding, and a foul odor. Contributing factors can include emotional stress, tobacco use and HIV infection.


THE PROGRESS OF PERIODONTAL DISEASE




HEALTHY GINGIVA (GUM TISSUE), PERIODONTAL LIGAMENT AND BONE ANCHOR TEETH FIRMLY IN PLACE.



GINGIVITIS DEVELOPS AS TOXINS, ENZYMES, AND OTHER PLAQUE BYPRODUCTS IRRITATE THE GUMS, MAKING THEM TENDER, SWOLLEN AND LIKELY TO BLEED EASILY.



PERIODONTITIS OCCURS WHEN PLAQUE BYPRODUCTS DESTROY THE TISSUES THAT ANCHOR TEETH IN THE BONE. AS THE DISEASE PROGRESSES, POCKETS FORM, WHICH ALLOW MORE PLAQUE TO COLLECT BELOW THE GUM LINE. TOOTH ROOTS ARE EXPOSED AND BECOME SUSCEPTIBLE TO DECAY AND SENSITIVE TO COLD AND TOUCH.



IN ADVANCED PERIODONTITIS, THE TEETH LOSE MORE SUPPORT AS THE DISEASE CONTINUES TO DESTROY THE PERIODONTAL LIGAMENT AND BONE. UNLESS TREATED, THE AFFECTED TEETH FREQUENTLY BECOME LOOSE AND MAY FALL OUT OR REQUIRE REMOVAL BY A DENTIST.